



**BROADMAP**  
Beyond The Boundaries



**1Economy**  
Corporation

# American Samoa

## Broadband Mapping Project:

## Product Release White Paper

**Contact Name Manager:** Andrew Berquist  
**Contact Phone Number:** 684-633-3648  
**Contact E-mail:** [andrew.berquist@doc.as](mailto:andrew.berquist@doc.as)

**Submitted By:** Kristin Rousseau  
**Contact E-mail:** [kristin.rousseau@broadmap.com](mailto:kristin.rousseau@broadmap.com)

**Product Specification:** Fall 2012 NTIA Data Model  
**Product/Process:** NTIA—October 1, 2012 Data Deliverable  
**Dataset Submission QC:** NTIA—SBDD\_CheckSubmission.py



**BROADMAP**  
Beyond The Boundaries



**1Economy**  
Corporation

# Table of Contents

<b>OVERVIEW .....</b>	<b>3</b>
<b>SUBMISSION SUMMARY .....</b>	<b>3</b>
<b>PROVIDER DETAILS .....</b>	<b>3</b>
PROVIDER PARTICIPATION .....	3
COVERAGE AREA CHANGES .....	3
DATA CORRECTIONS.....	4
<b>COMMUNITY ANCHOR INSTITUTION (CAI) DETAILS .....</b>	<b>4</b>
OVERALL STATISTICS .....	4
CAI CHANGES .....	4
<b>SUBMISSION RECEIPT .....</b>	<b>5</b>
SUBMISSION RECEIPT RESULTS .....	5
<b>HIGH-LEVEL SUMMARY .....</b>	<b>6</b>
<b>DATA GATHERING .....</b>	<b>6</b>
BROADBAND SERVICE AREAS, MIDDLE MILE AGGREGATION POINTS AND BROADBAND SERVICE OVERVIEW .....	6
COMMUNITY ANCHOR INSTITUTION (CAI) .....	7
<b>DATA INTEGRATION PROCESS .....</b>	<b>8</b>
<b>DATA VALIDATION AND VERIFICATION.....</b>	<b>11</b>
BROADBAND PROVIDER VALIDATION—PROVIDER PORTAL APPLICATION .....	11
THIRD-PARTY DATA VERIFICATION .....	12
PUBLIC VERIFICATION.....	12
CONFIDENCE VALUES .....	12
<b>QUALITY CONTROL .....</b>	<b>13</b>
<b>DETAILED PROCESS REVIEW .....</b>	<b>13</b>



**BROADMAP**  
Beyond The Boundaries



## OVERVIEW

This white paper highlights the **Submission Summary** for this deliverable, as well as describes the **Data Gathering**, **Data Integration**, **Data Validation and Verification** and **Quality Control** processes used to create the Broadband Mapping Project's October 1<sup>st</sup>, 2012 data submission. To support varying levels of technical and program knowledge, both a **high-level summary** and a **detailed process review** are supplied.

## SUBMISSION SUMMARY

### PROVIDER DETAILS

#### PROVIDER PARTICIPATION

- Providers Included (DBA Name)
  - ASTCA
  - Bluesky Communications
    - Moana TV
- New Providers Since Last Data Submission
  - None
- Non-Responsive/Non-Cooperative Providers
  - None

#### COVERAGE AREA CHANGES

- Provider Expansion and Attribution Changes
  - Bluesky
    - Updated typical speeds for their TT-70
    - Ingested new georeferenced images for TT-80
    - Their TT-41 and TT-70 have both been validated by the provider
  - ASTCA
    - No updates for this round
- Coverage Footprint Reductions/Map Refinement -
  - None



## DATA CORRECTIONS

- There were no data corrections required for this data submission

## COMMUNITY ANCHOR INSTITUTION (CAI) DETAILS

### OVERALL STATISTICS

Community Anchor Institution - Categories	Overall Count	CAIID Counts	Transmission Technology	Advertised Speed Down	Advertised Speed Up
Category 1 - School K through 12	49	27	0	0	0
Category 2 - Library	1	0	1	1	1
Category 3 - Medical/Healthcare	2	0	0	0	0
Category 4 - Public Safety	4	0	0	0	0
Category 5 - Universities/Colleges	1	1	1	1	1
Category 6 - Other: Government	26	0	7	7	7
Category 7 - Other: Non-Government	33	0	0	0	0
<b>Total</b>	<b>116</b>	<b>28</b>	<b>9</b>	<b>9</b>	<b>9</b>

### CAI CHANGES

- The CAI's within the following categories were reviewed again against the below-mentioned databases to identify if any CAIID's need to be updated or added.
  - For K-12 institutions (CAI type 1) please add the NCES ID CCD ID value found here:  
<http://nces.ed.gov/ccd/bat/>
  - For Higher Education (CAI type 5) please add the NCES IPEDS ID value found here:  
<http://nces.ed.gov/ipeds/datacenter/>
  - For Libraries (CAI type 2) please. Combine (do not add) "FSCSKey" and "FSCs\_SEQ" from the "puout08av2000" file and place them here:  
<http://harvester.census.gov/imls/data/pls/index.asp> (FYI the LIBID is your state's unique ID for libraries)





**BROADMAP**  
Beyond The Boundaries



## ***SUBMISSION RECEIPT***

### ***SUBMISSION RECEIPT RESULTS***

- Attached are the results from the NTIA data submission receipt quality script.



AS\_2012\_9\_17.txt

- Error Report  
The only item detected was for the wireless layer, TT-80, which was noted within the accompanying ReadMe file. The technology and speeds were validated by the provider and are within the ranges communicated in the NTIA data model.



## HIGH-LEVEL SUMMARY

### DATA GATHERING

#### BROADBAND SERVICE AREAS, MIDDLE MILE AGGREGATION POINTS AND BROADBAND SERVICE OVERVIEW

The collection of Broadband Service Areas, Middle Mile Aggregation Points and Broadband Service Overview information is handled through the following Provider Outreach Process:

- Build and maintain an inventory of Broadband providers through research and State inputs.
- The inventory and everyday interaction with providers is tracked using our Provider Catalog (PCat). Below are some examples of the web application, which has a shared access between our team and mapping partner (BroadMap).

The screenshot displays the Provider Catalog (PCat) web application interface, which is organized into several sections for data entry and management.

**Company Information:** This section contains fields for Provider Name (acmetech (All)), Source Name (acmetech), Company Address, Source Description, Company PO Box, Layer Name (TBD), Company House Number (12345), Source Usage Type (Tracking), Company Street Name (Acme Avenue), Source Provider Type (BroadMap), Company City Name (Portland), Source Content Type, Company Suite, Source Restrictions, Company Postal Boundary, Source Restriction Description, Company State, TT Types (a dropdown menu with options like --None--, Asymmetric xDSL, Symmetric xDSL, Other Copper Wireline, Cable Modem-DOCSIS 3.0, Cable Modem-Other, Optical Carrier/Fiber to the End User, and Satellite), Company Website (http://www.acmebroadband.com), Source ID (4999), Child Source, Parent URL, Parent Source ID (0), User Name, Password, Addr Level Data Provided, Form 477 Interest, Preferred Contact Method, and Provider Portal Trained.

**Contacts:** This section includes a table with columns for Type, Name, Preferred, Phone 1, Phone 2, Email, and Position. A new contact is being added with the name "Sourcing".

**FRN Info:** This section contains fields for Provider Name, DBA, and FRN Number, along with a "Create FRN" button.

**Confidence:** This section includes a table with columns for TT Type, Confidence, Last Modified, and Comment.

**Status Tracking:** This section contains checkboxes for Non Facilities Based Provider, Business Only Provider, Reseller, NDA Review - Internal, NDA Review - External, Non Responsive Provider, Non Cooperative Provider, and Source Closed.

**Service Provider Details:** This section contains fields for BroadMapper, Initial State Outreach Date, Provider Origin, BroadMap Status, Initial Contact Vehicle, Member Association, Initial State Outreach, NDA Status, NDA Not Required, NDA Requested, NDA Exchanged, NDA Exchange Date, NDA Signed, NDA Signed Date, Date Loaded, and Source Closed Date.



**BROADMAP**  
Beyond The Boundaries



BDIA Delivery 0412		Edit
Status --None--	Provider Data Reviewed <input type="checkbox"/>	
Outreach Date	Provider Data Reviewed Date	
Initial Response	FootPrint	
Meeting Date	MiddleMile	
No Update Date	Subscriber	
Waiting For Data Date	Provider Login <input type="checkbox"/>	
Data Received Date	Provider Login Date	
Data Accepted Date		
Source Ingested	Source Ingested Date	
<b>Additional Data</b>		
Notes		
Next Steps		
Inactive <input type="checkbox"/>	Owner briordan	
Created By briordan 2011-06-13 12:06:35	Last Modified By krousseau 2012-03-16 13:41:58	

- In order to encourage participation throughout the life of the program, we feel it's important to foster relationships with the providers and encourage a collaborative team effort between all parties for each data submission.
- Update provider material that describes the data requirements and logistics for data transfer.
- Update Non-Disclosure Agreement (NDA) for use in project, where applicable.
- Maintain multiple protocols for the provider to submit data, including Secure File Transfer Protocol (SFTP) technology when desired.
- Conduct one-on-one informational discussions with each provider to communicate the following:
  - Requirements of this project;
  - Broadband data required to support the product data model;
  - Submission protocols available;
  - Capability to validate how the supplied data is aggregated.
- Download/receive provider data.
- Establish a repeatable process with provider. Maintain provider communication, transaction and data handling records throughout the project (dates contacted, data received, etc.).

### **COMMUNITY ANCHOR INSTITUTION (CAI)**

The collection of CAI information is handled through the following CAI Collection Process:

- Collect and maintain inventory of CAIs through data mining, research and State inputs.
- Maintain web-based CAI portal for institutions to add or confirm attribution, location and enter broadband-specific information.
- Upload web-based data to Core Database for standardization.
- Perform internal cleansing, such as removing duplicate records, identifying gaps in broadband attribution and verifying category.
- Geocode CAI locations.
- Translate Core Database data to deliverable-ready format.
- Continue engagement with non-responsive institutions.



## DATA INTEGRATION PROCESS

The data integration and processing mechanisms currently used allow for multiple types of inputs and result in a standardized output that meets the NTIA deliverable requirements. This flexible process supports data model changes and project-requested enhancements.

- Receive inputs from providers via submission protocols; upload into Sourcing Database and catalog with provider information.
- Review provider-supplied data for completeness and for potential discrepancies that require resolution prior to processing and flag as necessary.
- Categorize input into data-type category (addresses, block lists, paper maps, etc.).
- Standardize input based on data type within Staging Database.
- Create Compact Polygons (CP)—(internal methodology for generating area-based feature for coverage in Staging Database).
- Apply broadband attribution to CP; apply metadata to CP.
- Perform quality analysis of the CP against the source supplied to identify any completeness or accuracy issues.
- Request additional information from the provider if elements of coverage are missing or contain discrepancies. This is a second manual quality check to ensure data is complete.
  - Process coverage area to build the required NTIA data model layers.

With the deployment of the Provider Portal this round, the data collection and later validation process was streamlined allowing both activities to occur within a secure web application. The majority of the providers used this methodology as it's allows them more visibility into how their data is being represented and gives them knowledge and ownership of their coverage representation. Below are some bullet points and supporting screen shots on how the portal is used.

- Each provider is assigned credentials with a strong password to ensure security measures are taken into consideration

Login

Username

Password

Login

- Collection and confirmation our contact, as well as the company's DBA Name and FRN accuracy

Contact and Provider Information

Please enter contact information and change provider information if incorrect:

Contact name:

Contact E-mail:

Contact Phone:

Doing Business As (DBA) Name:


FCC Registration Number (FRN):

Please note the following:


- Contact info will only be stored when a record is saved
- Provider info will be applied to all service areas



- Capability to review and request changes to the coverage footprint



- The provider can Add/Remove portions, or all, of the footprint requesting that their footprint be increased or refined.





- Middle Mile and Average Weight Nominal Speed (AWNS) collection and validation

**Broadband Provider Portal**

Status: Click to select pushpin

**Service Area Legend**

- Service Area
- Selected Service Area
- Provider Added Area
- Provider Removed Area
- Provider Replaced Area

**Middle Mile Information Editor**

Ownership:    
Back-haul Capacity:    
Back-haul Type:    
Elevation (feet):    
State Location:    
Location Valid:

**Table:**

Point	Service Area	Transmission Technology	Spectrum	Max. Asy. Download Speed	Max. Asy. Upload Speed	Typical Download Speed
1	Arthur	DSL, Asymmetric	not applicable	>= 3 mbps and < 6 mbps	>= 1.5 mbps and < 3 mbps	>= 3 mbps and < 6 mbps

**Display Information**

Display Middle-Mile information by hovering over the Middle-Mile location with the cursor.

**Edit Information**

Edit Middle-Mile information by clicking on the Middle-Mile location.

**Validate Information**

**Add Middle-Mile location on map:**

Select 'Find Address' or 'Pushpin Location'

☐ Find Address ☐ Pushpin Location

**AWNS**

**AWNS Settings for 'DSL Symmetric' in Arthur County**

Change the advertised download speeds and/or change the number of subscribers and click 'Calculate AWNS'

Advertised Download kbps #1:  # of Subscribers:    
Advertised Download kbps #2:  # of Subscribers:    
Advertised Download kbps #3:  # of Subscribers:    
Advertised Download kbps #4:  # of Subscribers:    
Advertised Download kbps #5:  # of Subscribers:

AWNS in kbps:

- File upload functionality to support providers that would prefer a shapefile, spreadsheet, PDF, KMZ/KML file be used to reflect changes for the data round



Welcome

**1** Choose a file to upload:    (50MB max)

\*Uploading a new file with the same name as an existing file will overwrite the existing file

Uploaded Files

**2** Please click here to auto-notify BroadMap of your uploads, thanks.





- Once the provider has review completed changes to their coverage, middle mile and AWNS, then can validate them all signing off that everything is accurate.

## DATA VALIDATION AND VERIFICATION


Following the creation of the product, process steps within Data Validation and Verification occur. To ensure the data collected and processed is as accurate and comprehensive as possible, provider validation and internal verification activities are employed. After the initial mapping of providers' coverage areas and serviceability claims, additional reviews are performed using the methods described in the subsections below in order of action (**Broadband Provider Validation, Third-Party Data Verification, Public Verification, and Confidence Values**).

### BROADBAND PROVIDER VALIDATION—PROVIDER PORTAL APPLICATION

Providers are trained on and requested to use a secure interactive web application to review their current coverage area(s) and supporting broadband attribution and validate their data or submit change requests to update their data. All provider change requests go through the **Data Integration Process** and are reviewed with the provider to complete validation.



With the latest released of the Provider Portal, validation on the coverage area, middle mile and average could be completed individually. Validation examples are as follows:

- Coverage validation can be done on one record/footprint at a time or by selecting footprints and selecting the 'Valid' button. The provider could also print off their coverage for their own tracking purposes.





- Middle Mile & AWNS Validation



All validation results are tracked internally through our Validation Table, which also improves the overall **Confidence Value** as mentioned below.

### THIRD-PARTY DATA VERIFICATION

For this submission, the NTIA 3<sup>rd</sup> Party Data summary was reviewed again to ensure any corrections required were represented in the final product and the supporting documentation. This includes additional feedback received directly from NTIA, prior to this data submission.

This submission was also compared to the previous data submission, April 2012, as a quality check to identify and resolve any potential erroneous discrepancies between the two products.

### PUBLIC VERIFICATION

The broadband interactive map has been released to the public, which includes functionality to collect feedback on the provider's coverage areas, as well as running a speed test. The feedback and speed results are collected and reviewed with the providers prior to the next data submissions to identify if any map refinement is required.

The public website can be viewed at the following hyperlink:

<http://asbb.broadmap.com/PublicMap/>

### CONFIDENCE VALUES

All verification, validation and manual quality review results are tracked by provider/technology type and stored and maintained within a **Validation table**. A confidence value is assigned, based on internal assessments of the collected information, to highlight the provider coverage areas and/or attributions that would benefit from further investigation and/or enhancements.





**BROADMAP**  
Beyond The Boundaries



With the continued efforts on provider validation, 3<sup>rd</sup> party verification and the release of the public interactive map with feedback collection functionality, the confidence values will continue to be utilized further to identify specific areas in need of attention.

## **QUALITY CONTROL**

Following collection, processing and analysis of the provider and CAI data, the product is checked manually and algorithmically against the NTIA data model. Some of the items included within these checks are:

- Format correctness;
- Table and field structure;
- Valid values, including default values, where applicable;
- Geographic extent and topology errors.

Prior to data submission, another quality control script supplied by NTIA is run. This script, SBDD\_CheckSubmission.py, creates an output in text form that is required to be submitted along with the final deliverable. All errors must come up clean, unless otherwise specified by NTIA.

## **DETAILED PROCESS REVIEW**

To review the detailed process, please review the attached object:



BMap\_ProcessDetails  
\_2012\_10\_01.docx